

Recovery Plan Action Status

Plan Name: Recovery Plan for Serpentine Soil Species of the San Francisco Bay Area

Plan Status: Final

Plan Date: 30-Sep-98

Lead Agency: USFWS

Lead Office: Sacramento Fish And Wildlife Office

(916)

414-6600)

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|---|-------------------|----------|---|---------------------|----------------------|----------------------|--|----------------------------------|-------------------------------|---|
| Bay checkerspot butterfly (Euphydryas editha bayensis), Tiburon mariposa lily (Calochortus tiburonensis), Metcalf Canyon jewelflower (Streptanthus albidus ssp. albidus), Pennell's bird's-beak (Cordylanthus tenuis ssp. capillaris), San Mateo woolly sunflower (Eriophyllum latilobum), Coyote ceanothus (Ceanothus ferrisiae), White-rayed pentachaeta (Pentachaeta bellidiflora), Presidio clarkia (Clarkia franciscana), Fountain thistle (Cirsium fontinale var. fontinale), Tiburon paintbrush (Castilleja affinis ssp. neglecta), Marin dwarf-flax (Hesperolinon congestum), Tiburon jewelflower (Streptanthus niger), San Mateo thormint (Acanthomintha obovata ssp. duttonii), Santa Clara Valley dudleya (Dudleya setchellii) | 2 | 1.1 | Establish cooperative programs with participants from the public and private sector | Ongoing Not Current | FY 1995 - FY 1999 | | U.S. Fish and Wildlife Service, California Department of Fish and Game | Other: Information and Education | Internal Technical Assistance | Cooperative program established with Stuart Weiss and San Mateo Parks for reintroduction of Bay Checkerspot into Edgewood Park. |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|---|-------------------|----------|--------------------------------------|---------------|----------------------|----------------------|--------------------------------|----------------------------------|-------------------------------|-----------------|
| Bay checkerspot butterfly (<i>Euphydryas editha bayensis</i>), Tiburon mariposa lily (<i>Calochortus tiburonensis</i>), Metcalf Canyon jewelflower (<i>Streptanthus albidus</i> ssp. <i>albidus</i>), Pennell's bird's-beak (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>), San Mateo woolly sunflower (<i>Eriophyllum latilobum</i>), Coyote ceanothus (<i>Ceanothus ferrisiae</i>), White-rayed pentachaeta (<i>Pentachaeta bellidiflora</i>), Presidio clarkia (<i>Clarkia franciscana</i>), Fountain thistle (<i>Cirsium fontinale</i> var. <i>fontinale</i>), Tiburon paintbrush (<i>Castilleja affinis</i> ssp. <i>neglecta</i>), Marin dwarf-flax (<i>Hesperolinon congestum</i>), Tiburon jewelflower (<i>Streptanthus niger</i>), San Mateo thormmint (<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>), Santa Clara Valley dudleya (<i>Dudleya setchellii</i>) | 2 | 1.2.1 | Develop and implement outreach plans | Not Started | | | U.S. Fish and Wildlife Service | Other: Information and Education | Internal Technical Assistance | |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|--|-------------------|----------|---|---------------------|----------------------|----------------------|--|-----------|-------------------------------|-----------------|
| Bay checkerspot butterfly (<i>Euphydryas editha bayensis</i>), Tiburon mariposa lily (<i>Calochortus tiburonensis</i>), Metcalf Canyon jewelflower (<i>Streptanthus albidus</i> ssp. <i>albidus</i>), Pennell's bird's-beak (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>), San Mateo woolly sunflower (<i>Eriophyllum latilobum</i>), Coyote ceanothus (<i>Ceanothus ferrisae</i>), White-rayed pentachaeta (<i>Pentachaeta bellidiflora</i>), Presidio clarkia (<i>Clarkia franciscana</i>), Fountain thistle (<i>Cirsium fontinale</i> var. <i>fontinale</i>), Tiburon paintbrush (<i>Castilleja affinis</i> ssp. <i>neglecta</i>), Marin dwarf-flax (<i>Hesperolinon congestum</i>), Tiburon jewelflower (<i>Streptanthus niger</i>), San Mateo thormmint (<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>), Santa Clara Valley dudleya (<i>Dudleya setchellii</i>) | 2 | 1.2.2 | Develop and implement economic and other incentives | Ongoing Not Current | FY 1995 - FY 1999 | | U.S. Fish and Wildlife Service, California Department of Fish and Game, Private landowners | Other | Internal Technical Assistance | |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|--|-------------------|----------|---|-----------------|----------------------|----------------------|---|-----------------------|-------------------------------|---|
| Bay checkerspot butterfly (Euphydryas editha bayensis), Tiburon mariposa lily (Calochortus tiburonensis), Metcalf Canyon jewelflower (Streptanthus albidus ssp. albidus), Pennell's bird's-beak (Cordylanthus tenuis ssp. capillaris), San Mateo woolly sunflower (Eriophyllum latilobum), Coyote ceanothus (Ceanothus ferrisiae), White-rayed pentachaeta (Pentachaeta bellidiflora), Presidio clarkia (Clarkia franciscana), Fountain thistle (Cirsium fontinale var. fontinale), Tiburon paintbrush (Castilleja affinis ssp. neglecta), Marin dwarf-flax (Hesperolinon congestum), Tiburon jewelflower (Streptanthus niger), San Mateo thormmint (Acanthomintha obovata ssp. duttonii), Santa Clara Valley dudleya (Dudleya setchellii) | 2 | 1.2.3 | Encourage and assist counties and landowners to develop and implement Habitat Conservation plans | Ongoing Current | FY 1995 - FY 1999 | | San Mateo County, California, Stanislaus County, California, Marin County, California, San Francisco County, California, Santa Clara County, California, Contra Costa County, California, Alameda County, California, Sonoma County, California, U.S. Fish and Wildlife Service, California Department of Fish and Game, Private landowners | Management: Planning | Internal Technical Assistance | Santa Clara County is developing a HCP. |
| Metcalf Canyon jewelflower (Streptanthus albidus ssp. albidus), Coyote ceanothus (Ceanothus ferrisiae) | 1 | 2.1.16 | Secure and protect serpentine habitat in Anderson Reservoir area/county park area (Santa Clara County) for multiple species | Not Started | | | City of San Jose, California, Santa Clara County, California, U.S. Fish and Wildlife Service, California Department of Fish and Game | Acquisition: Easement | Internal Field Assistance | Precise extent and location need clarification. |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|--|-------------------|----------|--|-----------------|----------------------|----------------------|--|-----------------------|---------------------------|-----------------|
| Bay checkerspot butterfly (Euphydryas editha bayensis), Metcalf Canyon jewelflower (Streptanthus albidus ssp. albidus), Coyote ceanothus (Ceanothus ferrisiae), Tiburon paintbrush (Castilleja affinis ssp. neglecta), Santa Clara Valley dudleya (Dudleya setchellii) | 1 | 2.1.20 | Secure and protect serpentine habitat in Kirby area (S. of Metcalf Rd.) (Santa Clara County) for multiple species | Ongoing Current | FY 1995 - FY 1999 | | City of San Jose, California, Santa Clara County, California, U.S. Fish and Wildlife Service, California Department of Fish and Game, Private landowners | Acquisition: Other | Internal Field Assistance | |
| Bay checkerspot butterfly (Euphydryas editha bayensis), Tiburon mariposa lily (Calochortus tiburonensis), Pennell's bird's-beak (Cordylanthus tenuis ssp. capillaris), Coyote ceanothus (Ceanothus ferrisiae), Presidio clarkia (Clarkia franciscana), Fountain thistle (Cirsium fontinale var. fontinale), Tiburon paintbrush (Castilleja affinis ssp. neglecta), Santa Clara Valley dudleya (Dudleya setchellii) | 2 | 2.2.28 | Secure and protect serpentine habitat Northwest of Healdsburg (Sonoma County) for Arctosaphylos bakeri ssp. Bakeri | Not Started | | | Sonoma County, California, U.S. Fish and Wildlife Service, California Department of Fish and Game | Acquisition: Easement | Internal Field Assistance | |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|---|-------------------|----------|--|-----------------|----------------------|----------------------|--|---------------------|---------------------------|---|
| Bay checkerspot butterfly (<i>Euphydryas editha bayensis</i>), Tiburon mariposa lily (<i>Calochortus tiburonensis</i>), Metcalf Canyon jewelflower (<i>Streptanthus albidus</i> ssp. <i>albidus</i>), Pennell's bird's-beak (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>), San Mateo woolly sunflower (<i>Eriophyllum latilobum</i>), Coyote ceanothus (<i>Ceanothus ferrisiae</i>), White-rayed pentachaeta (<i>Pentachaeta bellidiflora</i>), Presidio clarkia (<i>Clarkia franciscana</i>), Fountain thistle (<i>Cirsium fontinale</i> var. <i>fontinale</i>), Tiburon paintbrush (<i>Castilleja affinis</i> ssp. <i>neglecta</i>), Marin dwarf-flax (<i>Hesperolinon congestum</i>), Tiburon jewelflower (<i>Streptanthus niger</i>), San Mateo thormmint (<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>), Santa Clara Valley dudleya (<i>Dudleya setchellii</i>) | 1 | 3.1 | Develop and implement appropriate management actions at multiple sites, for multiple species | Ongoing Current | FY 1995 - FY 1999 | | California Department of Parks and Recreation, California Department of Transportation, City of San Jose, California, City of Tiburon, California, East Bay Regional Park District, Marin County Open Space District, Marin Municipal Water District, Midpeninsula Regional Open Space District, Rancho Santa Ana Botanic Garden, San Francisco Water Department, Tiburon Landmark Society, University of California at Berkeley, San Mateo County, California, Stanislaus County, California, Marin County, California, San Francisco County, California, Santa Clara County, California, Contra Costa County, California, Alameda County, California, Sonoma County, California, National Park Service, U.S. Fish and Wildlife Service, California Department of Fish and Game, Private landowners | Management: General | Internal Field Assistance | Staff from Creekside Center for Earth Observation working with Santa Clara Open Space Authority to develop new monitoring protocol for <i>Dudleya setchellii</i> . Invasive plants are being removed from <i>Cirsium fontinale</i> var. <i>fontinale</i> populations at Stulsaft Park and CalTrans property near Woodside Glens. |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|---|-------------------|----------|---|-----------------|----------------------|----------------------|--|------------------------------|------------------|--|
| Bay checkerspot butterfly (<i>Euphydryas editha bayensis</i>), Tiburon mariposa lily (<i>Calochortus tiburonensis</i>), Metcalf Canyon jewelflower (<i>Streptanthus albidus</i> ssp. <i>albidus</i>), Pennell's bird's-beak (<i>Cordylanthus tenuis</i> ssp. <i>capillaris</i>), San Mateo woolly sunflower (<i>Eriophyllum latilobum</i>), Coyote ceanothus (<i>Ceanothus ferrisiae</i>), White-rayed pentachaeta (<i>Pentachaeta bellidiflora</i>), Presidio clarkia (<i>Clarkia franciscana</i>), Fountain thistle (<i>Cirsium fontinale</i> var. <i>fontinale</i>), Tiburon paintbrush (<i>Castilleja affinis</i> ssp. <i>neglecta</i>), Marin dwarf-flax (<i>Hesperolinon congestum</i>), Tiburon jewelflower (<i>Streptanthus niger</i>), San Mateo thormmint (<i>Acanthomintha obovata</i> ssp. <i>duttonii</i>), Santa Clara Valley dudleya (<i>Dudleya setchellii</i>) | 2 | 4.1 | Establish a survey program and protocol for all species covered in the plan | Ongoing Current | FY 2007 | | California Department of Parks and Recreation, California Department of Transportation, City of San Jose, California, City of Tiburon, California, East Bay Regional Park District, Marin County Open Space District, Marin Municipal Water District, Midpeninsula Regional Open Space District, Rancho Santa Ana Botanic Garden, San Francisco Water Department, Tiburon Landmark Society, University of California at Berkeley, San Mateo County, California, Stanislaus County, California, Marin County, California, San Francisco County, California, Santa Clara County, California, Contra Costa County, California, Alameda County, California, Sonoma County, California, National Park Service, U.S. Fish and Wildlife Service, California Department of Fish and Game, Private landowners | Research: Population Surveys | Graduate Student | Monitoring protocol has been established at SF Presidio by GGNRA for <i>Clarkia franciscana</i> and <i>Lessingia germanorum</i> |
| Coyote ceanothus (<i>Ceanothus ferrisiae</i>) | 1 | 4.2.30 | Survey historic and potential habitat at Anderson Reservoir / Coyote Reservoir area (Santa Clara County) for multiple species | Ongoing Current | | | Santa Clara County, California, U.S. Fish and Wildlife Service, California Department of Fish and Game | Research: Population Surveys | Graduate Student | Occurrences around Anderson Dam were surveyed. Approximately 60,000 to 100,000 plants are likely present in these 3 occurrences. |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|---|-------------------|----------|--|--------------------|----------------------|----------------------|--|------------------------------|------------------|--|
| Metcalf Canyon jewelflower (Streptanthus albidus ssp. albidus), Coyote ceanothus (Ceanothus ferrisae), Tiburon paintbrush (Castilleja affinis ssp. neglecta), Santa Clara Valley dudleya (Dudleya setchellii) | 1 | 4.2.33 | Survey historic and potential habitat at Coyote Ridge area (Santa Clara county) for multiple species | Partially Complete | FY 2005 | | Santa Clara County, California, U.S. Fish and Wildlife Service, California Department of Fish and Game, Private landowners | Research: Population Surveys | Graduate Student | 2005-Transition Zone between S. Albidus and Albidus and S. Albidus peramoenus mapped. 2005-2006- Comprehensive mapping of Dudleya on selected mitigation parcels (100oc) completed-more mapping planned elsewhere. 2006-C. Affinis neglecta pops mapped in detail. 135 plants at southern pop, about 1000 plants in northern canyon on 0.25 ac. Annual survey of Bay Area Checkerspot Butterfly. Conducted at UTC, Kirby Canyon, and Young Ranch. |
| Coyote ceanothus (Ceanothus ferrisae) | 2 | 4.2.34 | Conduct surveys in historic and potential habitat in Croy Canyon area (Santa Clara county) for Ceanothus ferrisae | Not Started | | | U.S. Fish and Wildlife Service, California Department of Fish and Game | Research: Population Surveys | Graduate Student | |
| Coyote ceanothus (Ceanothus ferrisae), Tiburon paintbrush (Castilleja affinis ssp. neglecta), Santa Clara Valley dudleya (Dudleya setchellii) | 2 | 4.2.38 | Conduct surveys in historic and potential habitat North of Llagas Avenue (Santa Clara County) for multiple species | Not Started | | | Santa Clara County, California, U.S. Fish and Wildlife Service, California Department of Fish and Game | Research: Population Surveys | Graduate Student | |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|---|-------------------|----------|---|-----------------|----------------------|----------------------|--|--------------------------------|------------------|-----------------|
| Bay checkerspot butterfly (Euphydryas editha bayensis), Metcalf Canyon jewelflower (Streptanthus albidus ssp. albidus), Coyote ceanothus (Ceanothus ferrisiae), Fountain thistle (Cirsium fontinale var. fontinale), Tiburon paintbrush (Castilleja affinis ssp. neglecta), Santa Clara Valley dudleya (Dudleya setchellii) | 1 | 5.24 | Conduct research on vegetation management methods in selected areas county-wide (Santa Clara County) for multiple species | Ongoing Current | FY 2000 - FY 2004 | | Santa Clara County, California, U.S. Fish and Wildlife Service, California Department of Fish and Game | Research: Habitat Requirements | Graduate Student | |
| Bay checkerspot butterfly (Euphydryas editha bayensis), Metcalf Canyon jewelflower (Streptanthus albidus ssp. albidus), Coyote ceanothus (Ceanothus ferrisiae), Fountain thistle (Cirsium fontinale var. fontinale), Tiburon paintbrush (Castilleja affinis ssp. neglecta), Santa Clara Valley dudleya (Dudleya setchellii) | 1 | 5.25 | Conduct surveys in historic and potential habitat near Niles (alameda County) for Streptanthus albidus peramoenus | Not Started | | | U.S. Fish and Wildlife Service | Research: Habitat Status | Graduate Student | |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|--|-------------------|----------|---|---------------|----------------------|----------------------|--|---------------------------------|------------------|---|
| Bay checkerspot butterfly (Euphydryas editha bayensis), Metcalf Canyon jewelflower (Streptanthus albidus ssp. albidus), Coyote ceanothus (Ceanothus ferrisiae), Fountain thistle (Cirsium fontinale var. fontinale), Tiburon paintbrush (Castilleja affinis ssp. neglecta), San Mateo thornmint (Acanthomintha obovata ssp. duttonii), Santa Clara Valley dudleya (Dudleya setchellii) | 2 | 5.26 | Conduct necessary research at selected areas county-wide in Santa Clara County on restoring native habitats on serpentine and non-serpentine soils (multiple species) | Not Started | | | Santa Clara County, California, U.S. Fish and Wildlife Service, California Department of Fish and Game | Research: Habitat Requirements | Graduate Student | |
| Coyote ceanothus (Ceanothus ferrisiae) | 2 | 5.28 | Conduct necessary research at Anderson Reservoir / County Park area (Santa Clara County) for multiple species | Not Started | | | Santa Clara County, California, U.S. Fish and Wildlife Service, California Department of Fish and Game | Research: Habitat Requirements | Graduate Student | Research includes fire ecology of Ceanothus ferrisiae |
| Coyote ceanothus (Ceanothus ferrisiae), Santa Clara Valley dudleya (Dudleya setchellii) | 3 | 5.31 | Conduct necessary research North of Llagas Avenue (Santa Clara County) for multiple species | Not Started | | | Santa Clara County, California, U.S. Fish and Wildlife Service, California Department of Fish and Game | Research: Management Techniques | Graduate Student | Research includes fire ecology of Ceanothus ferrisiae |

| Species | Action Priority # | Action # | Action Description | Action Status | Est. Initiation Date | Est. Completion Date | Responsible Parties | Work Type | Labor Type | Action Comments |
|---|-------------------|----------|---|---------------|----------------------|----------------------|---|--------------------------------|------------------|--|
| Coyote ceanothus (Ceanothus ferrisiae) | 3 | 6.1.3 | Store viable seeds for the following plant taxa: Arctostaphylos bakeri bakeri Castilleja affinis neglecta Dudleya setchellii Hesperolinon congestum Streptanthus albidus albidus | Not Started | | | Rancho Santa Ana Botanic Garden, University of California at Berkeley, San Mateo County, California, Stanislaus County, California, Marin County, California, San Francisco County, California, Santa Clara County, California, Contra Costa County, California, Alameda County, California, Sonoma County, California, National Park Service, U.S. Fish and Wildlife Service, California Department of Fish and Game | Research: Habitat Requirements | Graduate Student | Seed collection was conducted in 2010. |